



Not actual patient.

 **Entresto**<sup>®</sup>  
(sacubitril/valsartan) tablets  
24/26mg • 49/51mg • 97/103mg

## Which type of insurance coverage do you have?

I HAVE  
MEDICARE

I HAVE COMMERCIAL OR  
PRIVATE INSURANCE

### IMPORTANT SAFETY INFORMATION

COLLAPSE



#### What is the most important information I should know about ENTRESTO?

ENTRESTO can harm or cause death to your unborn baby. Talk to your doctor about other ways to treat heart failure if you plan to become pregnant. If you get pregnant during treatment with ENTRESTO, tell your doctor right away.

#### Do not take ENTRESTO if you:

- are allergic to any of the ingredients in ENTRESTO
- have had an allergic reaction including swelling of your face, lips, tongue, throat (angioedema) or trouble breathing while taking a type of medicine called an angiotensin-converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB)
- take an ACE inhibitor medicine. Do not take ENTRESTO for at least 36 hours before or after you take an ACE inhibitor medicine. Talk with your doctor or pharmacist before taking ENTRESTO if you are not sure if you take an ACE inhibitor medicine
- have diabetes and take a medicine that contains aliskiren

#### Before taking ENTRESTO tell your doctor about all of your medical conditions, including if you:

- have a history of hereditary angioedema
- have kidney or liver problems
- are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. You should either take ENTRESTO or breastfeed. You should not do both

**Tell your doctor about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your doctor if you take potassium supplements or a salt substitute; nonsteroidal anti-inflammatory drugs (NSAIDs); lithium; or other medicines for high blood pressure or heart problems such as an ACE inhibitor, ARB, or aliskiren.

#### What are the possible side effects of ENTRESTO?

##### ENTRESTO may cause serious side effects including:

- **Swelling of your face, lips, tongue and throat (angioedema) that may cause trouble breathing and death.** Get emergency medical help right away if you have symptoms of angioedema or trouble breathing. Do not take ENTRESTO again if you have had angioedema while taking ENTRESTO
- People who are Black or who have had angioedema and take ENTRESTO may have a higher risk of having angioedema
- **Low blood pressure (hypotension)**, which may be more common if you take water pills. Call your doctor if you become dizzy or lightheaded, or you develop extreme fatigue
- **Kidney problems**
- **Increased amount of potassium in your blood (hyperkalemia)**

The most common side effects were low blood pressure, high potassium, cough, dizziness, and kidney problems.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

This information is not comprehensive. Please see full [Prescribing Information](#), including **Boxed WARNING**, and [Patient Prescribing Information](#).

ENTRESTO and the ENTRESTO logo are registered trademarks of Novartis AG.



Use of this website is governed by the [Terms of Use](#) and [Privacy Statement](#).  
Copyright © 2023 [Novartis Pharmaceuticals Corporation](#). All rights reserved.



Not actual patient.

## Your ENTRESTO<sup>®</sup> may be covered by Medicare and more

Find out if you're **1 of the >99%** of people with Medicare who pays **the lowest branded co-pay** for ENTRESTO

To help you get your ENTRESTO, Novartis has pulled together useful support and resources about Medicare.

## Find out what you'll pay for ENTRESTO with Medicare

Each person has their own financial situation when it comes to paying for medication. Find out how much you might pay for your ENTRESTO.

If you're over 65, you may be thinking about going on Medicare, or you're exploring options, for example during annual Medicare Part D Open Enrollment:

- Ask if the insurance plans cover ENTRESTO
- Plan for any costs that you may need to pay per refill

### Use the Check My Medicare Coverage Tool

The Check My Medicare Coverage Tool is here to help! Learn how much you will pay for ENTRESTO. Find out what each refill will cost in as little as 5 minutes.



Get an estimate of how much you pay with your plan. And compare it with other plans. Just enter your ZIP code and the name of your Medicare plan.



Find out if you are eligible for the Medicare Extra Help Program.

Want to know what you'll pay?

[GO TO THE CHECK MY MEDICARE COVERAGE TOOL](#)

## Learn which Medicare plan can cover ENTRESTO

### If you...



Were hospitalized and prescribed ENTRESTO at the hospital



Needed ENTRESTO after you were hospitalized



Were prescribed ENTRESTO by your doctor in their office

### Your ENTRESTO...



May be fully covered under Medicare Part A.



May be partially covered under Medicare Part D and Part A. And you may be required to pay a co-pay when you get a refill.



[LEARN ABOUT TREATMENT SUPPORT WITH THE ENSFIRE PROGRAM](#)

## Have private insurance? [Learn about ENTRESTO offers](#)

## There may be help available if you can't afford ENTRESTO

If you are experiencing financial hardship, have limited or no prescription coverage, and cannot afford the cost of your medication, then you may be eligible to receive Novartis medications for free through the Novartis Patient Assistance Foundation, Inc. (NPAF). NPAF can be reached at **1-800-277-2254** or visit [www.PAP.Novartis.com](http://www.PAP.Novartis.com) for more information and to download an application. Please note that your signature, along with your healthcare provider information and signature, will be needed for this.



Get the **30-day Free Trial Offer** for ENTRESTO

[VIEW TRIAL OFFER](#)

### IMPORTANT SAFETY INFORMATION

[COLLAPSE](#)

#### What is the most important information I should know about ENTRESTO?

ENTRESTO can harm or cause death to your unborn baby. Talk to your doctor about other ways to treat heart failure if you plan to become pregnant. If you get pregnant during treatment with ENTRESTO, tell your doctor right away.

#### Do not take ENTRESTO if you:

- are allergic to any of the ingredients in ENTRESTO
- have had an allergic reaction including swelling of your face, lips, tongue, throat (angioedema) or trouble breathing while taking a type of medicine called an angiotensin-converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB)
- take an ACE inhibitor medicine. Do not take ENTRESTO for at least 36 hours before or after you take an ACE inhibitor medicine. Talk with your doctor or pharmacist before taking ENTRESTO if you are not sure if you take an ACE inhibitor medicine
- have diabetes and take a medicine that contains aliskiren

#### Before taking ENTRESTO tell your doctor about all of your medical conditions, including if you:

- have a history of hereditary angioedema
- have kidney or liver problems
- are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. You should either take ENTRESTO or breastfeed. You should not do both

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your doctor if you take potassium supplements or a salt substitute; nonsteroidal anti-inflammatory drugs (NSAIDs); lithium; or other medicines for high blood pressure or heart problems such as an ACE inhibitor, ARB, or aliskiren.

#### What are the possible side effects of ENTRESTO?

##### ENTRESTO may cause serious side effects including:

- **Swelling of your face, lips, tongue and throat (angioedema) that may cause trouble breathing and death.** Get emergency medical help right away if you have symptoms of angioedema or trouble breathing. Do not take ENTRESTO and take ENTRESTO
- People who are Black or who have had angioedema and take ENTRESTO may have a higher risk of having angioedema
- **Low blood pressure (hypotension)**, which may be more common if you take water pills. Call your doctor if you become dizzy or lightheaded, or you develop extreme fatigue
- **Kidney problems**
- **Increased amount of potassium in your blood (hyperkalemia)**

The most common side effects were low blood pressure, high potassium, cough, dizziness, and kidney problems.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

This information is not comprehensive. Please see full [Prescribing Information](#), including **Boxed WARNING**, and [Patient Prescribing Information](#).

### INDICATION

#### What is ENTRESTO?

ENTRESTO is a prescription medicine used to treat adults with long-lasting (chronic) heart failure to help reduce the risk of death and hospitalization. ENTRESTO works better when the heart cannot pump a normal amount of blood to the body.



## More Financial Help

Need additional help? Learn about the programs below

Below is some publicly available information about Medicare for people who need it.

### Medicare.gov

#### Medicare

- Visit the official Medicare website: [Medicare.gov](#) to:
  - 1) Learn about Medicare, how it works, and what it costs
  - 2) Find out how, when and where to sign up for Medicare
  - 3) Review your options for more coverage
  - 4) Find out if ENTRESTO is covered with your plans
- For more information about Medicare, please visit [Medicare.gov](#) or call 1-800-MEDICARE (1-800-633-4227)
- Learn more about your Medicare coverage in the [Medicare and You Brochure](#)



#### Low-Income Subsidy (Extra Help)

- A program to help people with limited income and resources pay Medicare prescription drug program costs like premiums, deductibles, and coinsurance
- Nearly 30% of Medicare Part D beneficiaries qualify for Extra Help and pay no more than **[\$10.35]** for ENTRESTO<sup>1,2</sup>
- To apply for Extra Help, call the US Social Security Administration at 1-800-772-1213 or visit [ssa.gov/medicare/part-d-extra-help](#) to learn more



#### State Health Insurance Assistance Program (SHIP)

- SHIP provides counseling and help for people on Medicare, along with their families and caregivers
- To find the SHIP in your state, visit [shiphelp.org](#)

### Medicare.gov

#### State Pharmaceutical Assistance Programs (SPAPs)

- Certain states also have SPAPs that may be able to help with Medicare drug costs for patients
- To see if there are any programs in your state, visit [medicare.gov](#) and click on the “Health & Drug Plans” tab at the top of the page



#### Program of All-Inclusive Care for the Elderly (PACE)

- PACE is a Medicare and Medicaid program offered in many states that allows people who need a nursing home-level of care to remain in the community
- Visit [Medicare.gov/pace](#) to see if there's a PACE organization that serves your community



#### Medicare Supplement Insurance (Medigap)

- Medicare Supplement Insurance (Medigap) policies sold by private companies can help pay some of the remaining health care costs for covered services and supplies, like co-payments, coinsurance, and deductibles
- Learn more here: [Medicare.gov/medigap-supplemental-insurance-plans](#)



#### Supplemental Security Income (SSI) Benefits

- SSI is a cash benefit Social Security pays to people with limited income and resources who are blind, 65 or older, or have a disability
- Visit [ssabest.benefits.gov](#), and use the “Benefit Eligibility Screening Tool” to find out if you're eligible

**References:** 1. Announcement of calendar year (CY) 2023 Medicare Advantage (MA) capitation rates and Part C and Part D payment policies. Centers for Medicare & Medicaid Services. Published April 4, 2022. Accessed August 18, 2023. <https://www.cms.gov/files/document/2023-announcement.pdf> 2. Kaiser Family Foundation. Key facts about Medicare Part D enrollment and costs in 2022. Published August 21, 2022. Accessed August 18, 2023. <https://www.kff.org/medicare/issue-brief/key-facts-about-medicare-part-d-enrollment-and-costs-in-2022/>

### IMPORTANT SAFETY INFORMATION

COLLAPSE



#### What is the most important information I should know about ENTRESTO?

ENTRESTO can harm or cause death to your unborn baby. Talk to your doctor about other ways to treat heart failure if you plan to become pregnant. If you get pregnant during treatment with ENTRESTO, tell your doctor right away.

#### Do not take ENTRESTO if you:

- are allergic to any of the ingredients in ENTRESTO
- have had an allergic reaction including swelling of your face, lips, tongue, throat (angioedema) or trouble breathing while taking a type of medicine called an angiotensin-converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB)
- take an ACE inhibitor medicine. Do not take ENTRESTO for at least 36 hours before or after you take an ACE inhibitor medicine. Talk with your doctor or pharmacist before taking ENTRESTO if you are not sure if you take an ACE inhibitor medicine
- have diabetes and take a medicine that contains aliskiren

#### Before taking ENTRESTO tell your doctor about all of your medical conditions, including if you:

- have a history of hereditary angioedema
- have kidney or liver problems
- are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. You should either take ENTRESTO or breastfeed. You should not do both

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your doctor if you take potassium supplements or a salt substitute; nonsteroidal anti-inflammatory drugs (NSAIDs); lithium; or other medicines for high blood pressure or heart problems such as an ACE inhibitor, ARB, or aliskiren.

#### What are the possible side effects of ENTRESTO?

##### ENTRESTO may cause serious side effects including:

- **Swelling of your face, lips, tongue and throat (angioedema) that may cause trouble breathing and death.** Get emergency medical help right away if you have symptoms of angioedema or trouble breathing. Do not take ENTRESTO again if you have had angioedema while taking ENTRESTO
- People who are Black or who have had angioedema and take ENTRESTO may have a higher risk of having angioedema
- **Low blood pressure (hypotension)**, which may be more common if you take water pills. Call your doctor if you become dizzy or lightheaded, or you develop extreme fatigue
- **Kidney problems**
- **Increased amount of potassium in your blood (hyperkalemia)**

The most common side effects were low blood pressure, high potassium, cough, dizziness, and kidney problems.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](#), or call 1-800-FDA-1088.

This information is not comprehensive. Please see full [Prescribing Information](#), including **Boxed WARNING**, and [Patient Prescribing Information](#).

#### INDICATION

##### What is ENTRESTO?

ENTRESTO is a prescription medicine used to treat adults with long-lasting (chronic) heart failure to help reduce the risk of death and hospitalization. ENTRESTO works better when the heart cannot pump a normal amount of blood to the body.

## Stay up-to-date on your Medicare coverage

Not actual patient.



### Important Medicare Part D Updates

The Medicare Part D prescription costs have changed [in 2023/2024/2025]. Part D helps cover the cost of prescription drugs like ENTRESTO.

According to the [Medicare and You](#) [2023/2024/2025] brochure, you will continue to pay [25%] of the cost for your generic and brand-name prescription drugs, like ENTRESTO. This is after you meet your initial deductible.

## Track your year-to-date costs and Part D coverage phases

Medicare will send you monthly statements with info on **how much you've spent** on prescription drugs and **what phase** your Medicare Part D coverage is in.

- 1

### Deductible Phase:

  - You'll pay **100%** of your deductible first. With a co-pay of **up to \$505**
- 2

### Initial Coverage Phase:

  - Then, you'll pay your plan's co-pay and coinsurance for each of your prescriptions, like ENTRESTO
  - You'll pay that amount until you and your insurance have paid **[\$4660/\$4890/\$2000]** in total for all of your prescriptions
- 3

### Coverage Gap Phase:

  - You'll pay **no more than 25% of the cost** of your plan's covered brand-name prescription drugs, like ENTRESTO
  - When the total amount paid for your prescription drugs reaches **[\$7400/\$7750]**, the coverage gap is over
  - For brand-name drugs like ENTRESTO, this includes **[70%] of manufacturer discount**, plus deductibles and co-pays<sup>†††</sup>
- 4

### Catastrophic Coverage Phase<sup>[\*†]</sup>:

After your total yearly out-of-pocket costs reach **[\$7400/\$7750/\$2000]**, you pay only:

  - [\$4.15]** for generic drugs
  - [\$10.35]** for brand-name drugs, like ENTRESTO
  - Or **5% of the retail cost** for the rest of [2023/2024/2025] (whichever is highest)

\*Based on Medicare Part D Standard Benefit coverage (not applicable if you receive full or partial low-income subsidy). You may pay a small portion of the pharmacy dispensing fee, approximately **[\$1-\$3]**.

†Estimates based on a **[\$505]** deductible and **[25%]** coinsurance in the coverage gap phase for all brand-name drugs with a **[70%]** manufacturer discount being applied for all brand-name drugs.

The information provided in this communication is not a guarantee of coverage or payment (partial or full). Actual benefits are determined by each plan administrator in accordance with its respective policies and procedures. Nothing herein may be construed as an endorsement, approval, recommendation, representation, or warranty of any kind by any plan or insurer referenced herein. This communication is solely the responsibility of Novartis Pharmaceutical Corporation.



### Medicare coverage will change in [2024/2025]

For more info on changes to come, visit [Medicare.gov](#) or call **1-800-MEDICARE (1-800-633-4227)**.

#### IMPORTANT SAFETY INFORMATION

COLLAPSE



#### What is the most important information I should know about ENTRESTO?

ENTRESTO can harm or cause death to your unborn baby. Talk to your doctor about other ways to treat heart failure if you plan to become pregnant. If you get pregnant during treatment with ENTRESTO, tell your doctor right away.

#### Do not take ENTRESTO if you:

- are allergic to any of the ingredients in ENTRESTO
- have had an allergic reaction including swelling of your face, lips, tongue, throat (angioedema) or trouble breathing while taking a type of medicine called an angiotensin-converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB)
- take an ACE inhibitor medicine. Do not take ENTRESTO for at least 36 hours before or after you take an ACE inhibitor medicine. Talk with your doctor or pharmacist before taking ENTRESTO if you are not sure if you take an ACE inhibitor medicine
- have diabetes and take a medicine that contains aliskiren

#### Before taking ENTRESTO tell your doctor about all of your medical conditions, including if you:

- have a history of hereditary angioedema
- have kidney or liver problems
- are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. You should either take ENTRESTO or breastfeed. You should not do both

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your doctor if you take potassium supplements or a salt substitute; nonsteroidal anti-inflammatory drugs (NSAIDs); lithium; or other medicines for high blood pressure or heart problems such as an ACE inhibitor, ARB, or aliskiren.

#### What are the possible side effects of ENTRESTO?

#### ENTRESTO may cause serious side effects including:

- Swelling of your face, lips, tongue and throat (angioedema) that may cause trouble breathing and death.** Get emergency medical help right away if you have symptoms of angioedema or trouble breathing. Do not take ENTRESTO again if you have had angioedema while taking ENTRESTO
- People who are Black or who have had angioedema and take ENTRESTO may have a higher risk of having angioedema
- Low blood pressure (hypotension)**, which may be more common if you take water pills. Call your doctor if you become dizzy or lightheaded, or you develop extreme fatigue
- Kidney problems**
- Increased amount of potassium in your blood (hyperkalemia)**

The most common side effects were low blood pressure, high potassium, cough, dizziness, and kidney problems.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](#), or call 1-800-FDA-1088.

This information is not comprehensive. Please see full [Prescribing Information](#), including **Boxed WARNING**, and [Patient Prescribing Information](#).

#### INDICATION

#### What is ENTRESTO?

ENTRESTO is a prescription medicine used to treat adults with long-lasting (chronic) heart failure to help reduce the risk of death and hospitalization. ENTRESTO works better when the heart cannot pump a normal amount of blood to the body.



**Entresto**<sup>®</sup>  
(sacubitril/valsartan) tablets

24/26mg • 49/51mg • 97/103mg

## Which type of insurance coverage do you have?

**I HAVE MEDICARE**

**I HAVE COMMERCIAL OR PRIVATE INSURANCE**

### IMPORTANT SAFETY INFORMATION



#### INDICATION

##### What is ENTRESTO?

ENTRESTO is a prescription medicine used to treat adults with long-lasting (chronic) heart failure to help reduce the risk of death and hospitalization. ENTRESTO works better when the heart cannot pump a normal amount of blood to the body.

##### What is the most important information I should know about ENTRESTO?

ENTRESTO can harm or cause death to your unborn baby. Talk to your doctor about other ways to treat heart failure if you plan to become pregnant. If you get pregnant during treatment with ENTRESTO, tell your doctor right away.

##### Do not take ENTRESTO if you:

- are allergic to any of the ingredients in ENTRESTO
- have had an allergic reaction including swelling of your face, lips, tongue, throat (angioedema) or trouble breathing while taking a type of medicine called an angiotensin-converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB)
- take an ACE inhibitor medicine. Do not take ENTRESTO for at least 36 hours before or after you take an ACE inhibitor medicine. Talk with your doctor or pharmacist before taking ENTRESTO if you are not sure if you take an ACE inhibitor medicine
- have diabetes and take a medicine that contains aliskiren

##### Before taking ENTRESTO tell your doctor about all of your medical conditions, including if you:

- have a history of hereditary angioedema
- have kidney or liver problems
- are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. You should either take ENTRESTO or breastfeed. You should not do both

**Tell your doctor about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your doctor if you take potassium supplements or a salt substitute; nonsteroidal anti-inflammatory drugs (NSAIDs); lithium; or other medicines for high blood pressure or heart problems such as an ACE inhibitor, ARB, or aliskiren.

##### What are the possible side effects of ENTRESTO?

##### ENTRESTO may cause serious side effects including:

- **Swelling of your face, lips, tongue and throat (angioedema) that may cause trouble breathing and death.** Get emergency medical help right away if you have symptoms of angioedema or trouble breathing. Do not take ENTRESTO again if you have had angioedema while taking ENTRESTO
- People who are Black or who have had angioedema and take ENTRESTO may have a higher risk of having angioedema
- **low blood pressure (hypotension)**, which may be more common if you take water pills. Call your doctor if you become dizzy or lightheaded, or you develop extreme fatigue
- **kidney problems**
- **increased amount of potassium in your blood (hyperkalemia)**

The most common side effects were low blood pressure, high potassium, cough, dizziness, and kidney problems.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

This information is not comprehensive. Please see full **Prescribing Information**, including **Boxed WARNING**, and **Patient Prescribing Information**.

### Interest-Based Ads

ENTRESTO and the ENTRESTO logo are registered trademarks of Novartis AG.



**NOVARTIS**

Use of this website is governed by the **Terms of Use** and **Privacy Statement**. Copyright © 2023 **Novartis Pharmaceuticals Corporation**. All rights reserved.

  
Close



**Entresto**<sup>®</sup>  
(sacubitril/valsartan) tablets  
24/26mg • 49/51mg • 97/103mg

## ENTRESTO Medicare Coverage

---

### Medicare Resources

---


### Medicare Plans and Updates

---

For US Residents

[For Non-US Residents](#)

[Health Care Professionals](#)



Not actual patient.

## Your ENTRESTO® may be covered by Medicare and more

Find out if you're **1 of the >99%** of people with Medicare who pays the **lowest branded co-pay** for ENTRESTO

To help you get your ENTRESTO, Novartis has pulled together useful support and resources about Medicare.

## Find out what you'll pay for ENTRESTO with Medicare


Each person has their own financial situation when it comes to paying for medication. Find out how much you might pay for your ENTRESTO.

**If you're over 65, you may be thinking about going on Medicare, or you're exploring options, for example during annual Medicare Part D Open Enrollment:**

- Ask if the insurance plans cover ENTRESTO
- Plan for any costs that you may need to pay per refill

## Use the Check My Medicare Coverage Tool

The Check My Medicare Coverage Tool is here to help! Learn how much you will pay for ENTRESTO. Find out what each refill will cost in **as little as 5 minutes**.



**Get an estimate of how much you pay with your plan. And compare it with other plans. Just enter your ZIP code and the name of your Medicare plan.**



**Find out if you are eligible for the Medicare Extra Help Program.**


**Want to know what you'll pay?**

**GO TO THE CHECK MY MEDICARE COVERAGE TOOL**

## Learn which Medicare plan can cover ENTRESTO

**If you...**


**Your ENTRESTO...**



Were hospitalized and prescribed ENTRESTO at the hospital




May be fully covered under Medicare Part A.




Needed ENTRESTO after you were hospitalized



May be partially covered under Medicare Part D and Part A. And you may be required to pay a co-pay when you get a refill.



Were prescribed ENTRESTO by your doctor in their office



## Enspire PROGRAM

from Entresto®


SUPPORT DESIGNED WITH YOU IN MIND

**LEARN ABOUT TREATMENT SUPPORT WITH THE ENSPIRE PROGRAM**

**Have private insurance? Learn about ENTRESTO offers**

## There may be help available if you can't afford ENTRESTO

If you are experiencing financial hardship, have limited or no prescription coverage, and cannot afford the cost of your medication, then you may be eligible to receive Novartis medications for free through the Novartis Patient Assistance Foundation, Inc. (NPAF). NPAF can be reached at **1-800-277-2254** or visit [www.PAP.Novartis.com](http://www.PAP.Novartis.com) for more information and to download an application. Please note that your signature, along with your healthcare provider information and signature, will be needed for this.



**Get the 30-day Free Trial Offer for ENTRESTO**

**VIEW TRIAL OFFER**

## IMPORTANT SAFETY INFORMATION

### INDICATION

#### What is ENTRESTO?

ENTRESTO is a prescription medicine used to treat adults with long-lasting (chronic) heart failure to help reduce the risk of death and hospitalization. ENTRESTO works better when the heart cannot pump a normal amount of blood to the body.

#### What is the most important information I should know about ENTRESTO?

ENTRESTO can harm or cause death to your unborn baby. Talk to your doctor about other ways to treat heart failure if you plan to become pregnant. If you get pregnant during treatment with ENTRESTO, tell your doctor right away.

#### Do not take ENTRESTO if you:

- are allergic to any of the ingredients in ENTRESTO
- have had an allergic reaction including swelling of your face, lips, tongue, throat (angioedema) or trouble breathing while taking a type of medicine called an angiotensin-converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB)
- take an ACE inhibitor medicine. Do not take ENTRESTO for at least 36 hours before or after you take an ACE inhibitor medicine. Talk with your doctor or pharmacist before taking ENTRESTO if you are not sure if you take an ACE inhibitor medicine
- have diabetes and take a medicine that contains aliskiren

#### Before taking ENTRESTO tell your doctor about all of your medical conditions, including if you:

- have a history of hereditary angioedema
- have kidney or liver problems
- are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. You should either take ENTRESTO or breastfeed. You should not do both

**Tell your doctor about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your doctor if you take potassium supplements or a salt substitute; nonsteroidal anti-inflammatory drugs (NSAIDs); lithium; or other medicines for high blood pressure or heart problems such as an ACE inhibitor, ARB, or aliskiren.

#### What are the possible side effects of ENTRESTO?

ENTRESTO may cause serious side effects including:

- **Swelling of your face, lips, tongue and throat (angioedema) that may cause trouble breathing and death.** Get emergency medical help right away if you have symptoms of angioedema or trouble breathing. Do not take ENTRESTO again if you have had angioedema while taking ENTRESTO
- People who are Black or who have had angioedema and take ENTRESTO may have a higher risk of having angioedema
- **low blood pressure (hypotension)**, which may be more common if you take water pills. Call your doctor if you become dizzy or lightheaded, or you develop extreme fatigue
- **kidney problems**
- **increased amount of potassium in your blood (hyperkalemia)**

The most common side effects were low blood pressure, high potassium, cough, dizziness, and kidney problems.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

This information is not comprehensive. Please see full [Prescribing Information](#), including **Boxed WARNING**, and [Patient Prescribing Information](#).





Not actual patient.

## More Financial Help

### Need additional help? Learn about the programs below

Below is some publicly available information about Medicare for people who need it.

## Medicare.gov


### Medicare

- Visit the official Medicare website: [Medicare.gov](https://www.medicare.gov) to:

- 1) Learn about Medicare, how it works, and what it costs
- 2) Find out how, when and where to sign up for Medicare
- 3) Review your options for more coverage
- 4) Find out if ENTRESTO is covered with your plans

- For more information about Medicare, please visit [Medicare.gov](https://www.medicare.gov) or call 1-800-MEDICARE (1-800-633-4227)

- Learn more about your Medicare coverage in the [Medicare and You Brochure](#)



### Low-Income Subsidy (Extra Help)

- A program to help people with limited income and resources pay Medicare prescription drug program costs like premiums, deductibles, and coinsurance

- Nearly 30% of Medicare Part D beneficiaries qualify for Extra Help and pay no more than **[\$10.35]** for ENTRESTO<sup>®1,2</sup>

- To apply for Extra Help, call the US Social Security Administration at 1-800-772-1213 or visit [ssa.gov/medicare/part-d-extra-help](https://ssa.gov/medicare/part-d-extra-help) to learn more



### SHIP

State Health Insurance Assistance Program

### State Health Insurance Assistance Program (SHIP)

- SHIP provides counseling and help for people on Medicare, along with their families and caregivers

- To find the SHIP in your state, visit [shiphelp.org](https://shiphelp.org)

## Medicare.gov

### State Pharmaceutical Assistance Programs (SPAPs)

- Certain states also have SPAPs that may be able to help with Medicare drug costs for patients

- To see if there are any programs in your state, visit [medicare.gov](https://www.medicare.gov) and click on the “Health & Drug Plans” tab at the top of the page



### Program of All-Inclusive Care for the Elderly (PACE)

- PACE is a Medicare and Medicaid program offered in many states that allows people who need a nursing home-level of care to remain in the community

- Visit [Medicare.gov/pace](https://www.medicare.gov/pace) to see if there's a PACE organization that serves your community



### MEDIGAP LIFE

Age Comfortably

### Medicare Supplement Insurance (Medigap)

- Medicare Supplement Insurance (Medigap) policies sold by private companies can help pay some of the remaining health care costs for covered services and supplies, like co-payments, coinsurance, and deductibles

- Learn more here: [Medicare.gov/medigap-supplemental-insurance-plans](https://www.medicare.gov/medigap-supplemental-insurance-plans)



### BEST

Benefit Eligibility Screening Tool

### Supplemental Security Income (SSI) Benefits

- SSI is a cash benefit Social Security pays to people with limited income and resources who are blind, 65 or older, or have a disability

- Visit [ssabest.benefits.gov](https://ssabest.benefits.gov), and use the “Benefit Eligibility Screening Tool” to find out if you're eligible

## IMPORTANT SAFETY INFORMATION

### INDICATION

#### What is ENTRESTO?

ENTRESTO is a prescription medicine used to treat adults with long-lasting (chronic) heart failure to help reduce the risk of death and hospitalization. ENTRESTO works better when the heart cannot pump a normal amount of blood to the body.

#### What is the most important information I should know about ENTRESTO?

ENTRESTO can harm or cause death to your unborn baby. Talk to your doctor about other ways to treat heart failure if you plan to become pregnant. If you get pregnant during treatment with ENTRESTO, tell your doctor right away.

#### Do not take ENTRESTO if you:

- are allergic to any of the ingredients in ENTRESTO
- have had an allergic reaction including swelling of your face, lips, tongue, throat (angioedema) or trouble breathing while taking a type of medicine called an angiotensin-converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB)

- take an ACE inhibitor medicine. Do not take ENTRESTO for at least 36 hours before or after you take an ACE inhibitor medicine. Talk with your doctor or pharmacist before taking ENTRESTO if you are not sure if you take an ACE inhibitor medicine

- have diabetes and take a medicine that contains aliskiren

#### Before taking ENTRESTO tell your doctor about all of your medical conditions, including if you:

- have a history of hereditary angioedema
- have kidney or liver problems

- are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. You should either take ENTRESTO or breastfeed. You should not do both

#### Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your doctor if you take potassium supplements or a salt substitute; nonsteroidal anti-inflammatory drugs (NSAIDs); lithium; or other medicines for high blood pressure or heart problems such as an ACE inhibitor, ARB, or aliskiren.

#### What are the possible side effects of ENTRESTO?

##### ENTRESTO may cause serious side effects including:

- **Swelling of your face, lips, tongue and throat (angioedema) that may cause trouble breathing and death.** Get emergency medical help right away if you have symptoms of angioedema or trouble breathing. Do not take ENTRESTO again if you have had angioedema while taking ENTRESTO

- People who are Black or who have had angioedema and take ENTRESTO may have a higher risk of having angioedema

- **low blood pressure (hypotension)**, which may be more common if you take water pills. Call your doctor if you become dizzy or lightheaded, or you develop extreme fatigue

- **kidney problems**

- **increased amount of potassium in your blood (hyperkalemia)**

The most common side effects were low blood pressure, high potassium, cough, dizziness, and kidney problems.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](https://www.fda.gov/medwatch), or call 1-800-FDA-1088.

This information is not comprehensive. Please see full [Prescribing Information](#), including [Boxed WARNING](#), and [Patient Prescribing Information](#).


## Interest-Based Ads

ENTRESTO and the ENTRESTO logo are registered trademarks of Novartis AG.




## NOVARTIS

Use of this website is governed by the [Terms of Use](#) and [Privacy Statement](#). Copyright © 2023 [Novartis Pharmaceuticals Corporation](#). All rights reserved.



Not actual patient.

## Stay up-to-date on your Medicare coverage



### Important Medicare Part D Updates

The Medicare Part D prescription costs have changed [in 2023/2024/2025]. Part D helps cover the cost of prescription drugs, like ENTRESTO.

According to the [Medicare and You \[2023/2024/2025\]](#) brochure, you will continue to pay [25%] of the cost for your generic and brand-name prescription drugs, like ENTRESTO. This is after you meet your initial deductible.

## Track your year-to-date costs and Part D coverage phases

Medicare will send you monthly statements with info on **how much you've spent** on prescription drugs and **what phase** your Medicare Part D coverage is in.

### 1 Deductible Phase:

- You'll pay **100%** of your deductible first. With a co-pay of up to **[\$505]**

### 2 Initial Coverage Phase:

- Then, you'll pay your plan's co-pay and coinsurance for each of your prescriptions, like ENTRESTO
- You'll pay that amount until you and your insurance have paid **[\$4660/\$4890/\$2000]** in total for all of your prescriptions

### 3 Coverage Gap Phase:

- You'll pay **no more than 25% of the cost** of your plan's covered brand-name prescription drugs, like ENTRESTO
- When the total amount paid for your prescription drugs reaches **[\$7400/\$7750]**, the coverage gap is over
- For brand-name drugs like ENTRESTO, this includes **[70% of manufacturer discount]**, plus deductibles and co-pays<sup>[\*†]</sup>

### 4 Catastrophic Coverage Phase<sup>[\*†]</sup>:


After your total yearly out-of-pocket costs **reach** **[\$7400/\$7750/\$2000]**, you pay only:

- [\$4.15]** for generic drugs
- [\$10.35]** for brand-name drugs, like ENTRESTO
- Or **5% of the retail cost** for the rest of **[2023/2024/2025]** (whichever is highest)

<sup>\*</sup>Based on Medicare Part D Standard Benefit coverage (not applicable if you receive full or partial low-income subsidy). You may pay a small portion of the pharmacy dispensing fee, approximately **[\$1-\$3]**.

<sup>†</sup>Estimates based on a **[\$505]** deductible and **[25%]** coinsurance in the coverage gap phase for all brand-name drugs with a **[70%]** manufacturer discount being applied for all brand-name drugs.

The information provided in this communication is not a guarantee of coverage or payment (partial or full). Actual benefits are determined by each plan administrator in accordance with its respective policies and procedures. Nothing herein may be construed as an endorsement, approval, recommendation, representation, or warranty of any kind by any plan or insurer referenced herein. This communication is solely the responsibility of Novartis Pharmaceutical Corporation.



## Medicare coverage will change in [2024/2025]

For more info on changes to come, visit [Medicare.gov](#) or call **1-800-MEDICARE (1-800-633-4227)**.

### IMPORTANT SAFETY INFORMATION

#### INDICATION

##### What is ENTRESTO?

ENTRESTO is a prescription medicine used to treat adults with long-lasting (chronic) heart failure to help reduce the risk of death and hospitalization. ENTRESTO works better when the heart cannot pump a normal amount of blood to the body.

##### What is the most important information I should know about ENTRESTO?

ENTRESTO can harm or cause death to your unborn baby. Talk to your doctor about other ways to treat heart failure if you plan to become pregnant. If you get pregnant during treatment with ENTRESTO, tell your doctor right away.

##### Do not take ENTRESTO if you:

- are allergic to any of the ingredients in ENTRESTO
- have had an allergic reaction including swelling of your face, lips, tongue, throat (angioedema) or trouble breathing while taking a type of medicine called an angiotensin-converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB)
- take an ACE inhibitor medicine. Do not take ENTRESTO for at least 36 hours before or after you take an ACE inhibitor medicine. Talk with your doctor or pharmacist before taking ENTRESTO if you are not sure if you take an ACE inhibitor medicine
- have diabetes and take a medicine that contains aliskiren

##### Before taking ENTRESTO tell your doctor about all of your medical conditions, including if you:

- have a history of hereditary angioedema
- have kidney or liver problems
- are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. You should either take ENTRESTO or breastfeed. You should not do both

**Tell your doctor about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your doctor if you take potassium supplements or a salt substitute; nonsteroidal anti-inflammatory drugs (NSAIDs); lithium; or other medicines for high blood pressure or heart problems such as an ACE inhibitor, ARB, or aliskiren.

##### What are the possible side effects of ENTRESTO?

**ENTRESTO may cause serious side effects including:**

- Swelling of your face, lips, tongue and throat (angioedema) that may cause trouble breathing and death.** Get emergency medical help right away if you have symptoms of angioedema or trouble breathing. Do not take ENTRESTO again if you have had angioedema while taking ENTRESTO
- People who are Black or who have had angioedema and take ENTRESTO may have a higher risk of having angioedema
- low blood pressure (hypotension)**, which may be more common if you take water pills. Call your doctor if you become dizzy or lightheaded, or you develop extreme fatigue
- kidney problems**
- increased amount of potassium in your blood (hyperkalemia)**


The most common side effects were low blood pressure, high potassium, cough, dizziness, and kidney problems.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](#), or call 1-800-FDA-1088.

This information is not comprehensive. Please see full [Prescribing Information](#), including [Boxed WARNING](#), and [Patient Prescribing Information](#).

### Interest-Based Ads

ENTRESTO and the ENTRESTO logo are registered trademarks of Novartis AG.



Use of this website is governed by the [Terms of Use](#) and [Privacy Statement](#). Copyright © 2023 [Novartis Pharmaceuticals Corporation](#). All rights reserved.